

Bezeichnung	Artikelnummer	Lichtfarbe	Optik	Systemleistung
StoreLED 3x3R 20-30-110	09203011000	3000 K	110°	19,2 W
StoreLED 3x3R 20-30-110	09203011001	3000 K	110°	19,2 W
StoreLED 3x3R 20-30-110	09203011002	3000 K	110°	19,2 W
StoreLED 3x3R 20-35-110	09203511000	3500 K	110°	19,2 W
StoreLED 3x3R 20-35-110	09203511001	3500 K	110°	19,2 W
StoreLED 3x3R 20-35-110	09203511002	3500 K	110°	19,2 W
StoreLED 3x3R 20-40-110	09204011000	4000 K	110°	19,2 W
StoreLED 3x3R 20-40-110	09204011001	4000 K	110°	19,2 W
StoreLED 3x3R 20-40-110	09204011002	4000 K	110°	19,2 W
StoreLED 3x3R 20-50-110	09205011000	5000 K	110°	19,2 W
StoreLED 3x3R 20-50-110	09205011001	5000 K	110°	19,2 W
StoreLED 3x3R 20-50-110	09205011002	5000 K	110°	19,2 W
StoreLED 3x3R 21-30-110 DALI	09213011000	3000 K	110°	19,4 W
StoreLED 3x3R 21-30-110 DALI	09213011001	3000 K	110°	19,4 W
StoreLED 3x3R 21-30-110 DALI	09213011002	3000 K	110°	19,4 W
StoreLED 3x3R 21-35-110 DALI	09213511000	3500 K	110°	19,4 W
StoreLED 3x3R 21-35-110 DALI	09213511001	3500 K	110°	19,4 W
StoreLED 3x3R 21-35-110 DALI	09213511002	3500 K	110°	19,4 W
StoreLED 3x3R 21-40-110 DALI	09214011000	4000 K	110°	19,4 W
StoreLED 3x3R 21-40-110 DALI	09214011001	4000 K	110°	19,4 W
StoreLED 3x3R 21-40-110 DALI	09214011002	4000 K	110°	19,4 W
StoreLED 3x3R 21-50-110 DALI	09215011000	5000 K	110°	19,4 W
StoreLED 3x3R 21-50-110 DALI	09215011001	5000 K	110°	19,4 W
StoreLED 3x3R 21-50-110 DALI	09215011002	5000 K	110°	19,4 W
StoreLED 3x3R 24-30-110	09243011000	3000 K	110°	22,6 W
StoreLED 3x3R 24-30-110	09243011001	3000 K	110°	22,6 W
StoreLED 3x3R 24-30-110	09243011002	3000 K	110°	22,6 W
StoreLED 3x3R 24-35-110	09243511000	3500 K	110°	22,6 W
StoreLED 3x3R 24-35-110	09243511001	3500 K	110°	22,6 W
StoreLED 3x3R 24-35-110	09243511002	3500 K	110°	22,6 W
StoreLED 3x3R 24-40-110	09244011000	4000 K	110°	22,6 W
StoreLED 3x3R 24-40-110	09244011001	4000 K	110°	22,6 W
StoreLED 3x3R 24-50-110	09245011000	5000 K	110°	22,6 W
StoreLED 3x3R 24-50-110	09245011001	5000 K	110°	22,6 W
StoreLED 3x3R 24-50-110	09245011002	5000 K	110°	22,6 W
StoreLED 3x3R 25-30-110 DALI	09253011000	3000 K	110°	22,9 W
StoreLED 3x3R 25-30-110 DALI	09253011001	3000 K	110°	22,9 W
StoreLED 3x3R 25-30-110 DALI	09253011002	3000 K	110°	22,9 W
StoreLED 3x3R 25-35-110 DALI	09253511000	3500 K	110°	22,9 W
StoreLED 3x3R 25-35-110 DALI	09253511001	3500 K	110°	22,9 W
StoreLED 3x3R 25-35-110 DALI	09253511002	3500 K	110°	22,9 W
StoreLED 3x3R 25-40-110 DALI	09254011000	4000 K	110°	22,9 W
StoreLED 3x3R 25-40-110 DALI	09254011001	4000 K	110°	22,9 W
StoreLED 3x3R 25-40-110 DALI	09254011002	4000 K	110°	22,9 W
StoreLED 3x3R 25-50-110 DALI	09255011000	5000 K	110°	22,9 W
StoreLED 3x3R 25-50-110 DALI	09255011001	5000 K	110°	22,9 W
StoreLED 3x3R 25-50-110 DALI	09255011002	5000 K	110°	22,9 W
StoreLED 3x3R 34-30-110	09343011000	3000 K	110°	33,5 W

StoreLED 3x3R 34-30-110	09343011001	3000 K	110°	33,5 W
StoreLED 3x3R 34-30-110	09343011002	3000 K	110°	33,5 W
StoreLED 3x3R 34-35-110	09343511000	3500 K	110°	33,5 W
StoreLED 3x3R 34-35-110	09343511001	3500 K	110°	33,5 W
StoreLED 3x3R 34-35-110	09343511002	3500 K	110°	33,5 W
StoreLED 3x3R 34-40-110	09344011000	4000 K	110°	33,5 W
StoreLED 3x3R 34-40-110	09344011001	4000 K	110°	33,5 W
StoreLED 3x3R 34-40-110	09344011002	4000 K	110°	33,5 W
StoreLED 3x3R 34-50-110	09345011000	5000 K	110°	33,5 W
StoreLED 3x3R 34-50-110	09345011001	5000 K	110°	33,5 W
StoreLED 3x3R 34-50-110	09345011002	5000 K	110°	33,5 W
StoreLED 3x3R 35-30-110 DALI	09353011000	3000 K	110°	33,7 W
StoreLED 3x3R 35-30-110 DALI	09353011001	3000 K	110°	33,7 W
StoreLED 3x3R 35-30-110 DALI	09353011002	3000 K	110°	33,7 W
StoreLED 3x3R 35-35-110 DALI	09353511000	3500 K	110°	33,7 W
StoreLED 3x3R 35-35-110 DALI	09353511001	3500 K	110°	33,7 W
StoreLED 3x3R 35-35-110 DALI	09353511002	3500 K	110°	33,7 W
StoreLED 3x3R 35-40-110 DALI	09354011000	4000 K	110°	33,7 W
StoreLED 3x3R 35-40-110 DALI	09354011001	4000 K	110°	33,7 W
StoreLED 3x3R 35-40-110 DALI	09354011002	4000 K	110°	33,7 W
StoreLED 3x3R 35-50-110 DALI	09355011000	5000 K	110°	33,7 W
StoreLED 3x3R 35-50-110 DALI	09355011001	5000 K	110°	33,7 W
StoreLED 3x3R 35-50-110 DALI	09355011002	5000 K	110°	33,7 W
StoreLED 3x3R 39-30-110	09393011000	3000 K	110°	38,2 W
StoreLED 3x3R 39-30-110	09393011001	3000 K	110°	38,2 W
StoreLED 3x3R 39-30-110	09393011002	3000 K	110°	38,2 W
StoreLED 3x3R 39-35-110	09393511000	3500 K	110°	38,2 W
StoreLED 3x3R 39-35-110	09393511001	3500 K	110°	38,2 W
StoreLED 3x3R 39-35-110	09393511002	3500 K	110°	38,2 W
StoreLED 3x3R 39-40-110	09394011000	4000 K	110°	38,2 W
StoreLED 3x3R 39-40-110	09394011001	4000 K	110°	38,2 W
StoreLED 3x3R 39-40-110	09394011002	4000 K	110°	38,2 W
StoreLED 3x3R 39-50-110	09395011000	5000 K	110°	38,2 W
StoreLED 3x3R 39-50-110	09395011001	5000 K	110°	38,2 W
StoreLED 3x3R 39-50-110	09395011002	5000 K	110°	38,2 W
StoreLED 3x3R 40-30-110 DALI	09403011000	3000 K	110°	39,2 W
StoreLED 3x3R 40-30-110 DALI	09403011001	3000 K	110°	39,2 W
StoreLED 3x3R 40-30-110 DALI	09403011002	3000 K	110°	39,2 W
StoreLED 3x3R 40-35-110 DALI	09403511000	3500 K	110°	39,2 W
StoreLED 3x3R 40-35-110 DALI	09403511001	3500 K	110°	39,2 W
StoreLED 3x3R 40-35-110 DALI	09403511002	3500 K	110°	39,2 W
StoreLED 3x3R 40-40-110 DALI	09404011000	4000 K	110°	39,2 W
StoreLED 3x3R 40-40-110 DALI	09404011001	4000 K	110°	39,2 W
StoreLED 3x3R 40-40-110 DALI	09404011002	4000 K	110°	39,2 W
StoreLED 3x3R 40-50-110 DALI	09405011000	5000 K	110°	39,2 W
StoreLED 3x3R 40-50-110 DALI	09405011001	5000 K	110°	39,2 W
StoreLED 3x3R 40-50-110 DALI	09405011002	5000 K	110°	39,2 W
StoreLED 3x3R 49-30-110	09493011000	3000 K	110°	48,2 W
StoreLED 3x3R 49-30-110	09493011001	3000 K	110°	48,2 W
StoreLED 3x3R 49-30-110	09493011002	3000 K	110°	48,2 W

StoreLED 3x3R 49-35-110	09493511000	3500 K	110°	48,2 W
StoreLED 3x3R 49-35-110	09493511001	3500 K	110°	48,2 W
StoreLED 3x3R 49-35-110	09493511002	3500 K	110°	48,2 W
StoreLED 3x3R 49-40-110	09494011000	4000 K	110°	48,2 W
StoreLED 3x3R 49-40-110	09494011001	4000 K	110°	48,2 W
StoreLED 3x3R 49-40-110	09494011002	4000 K	110°	48,2 W
StoreLED 3x3R 49-50-110	09495011000	5000 K	110°	48,2 W
StoreLED 3x3R 49-50-110	09495011001	5000 K	110°	48,2 W
StoreLED 3x3R 49-50-110	09495011002	5000 K	110°	48,2 W
StoreLED 3x3R 50-30-110 DALI	09503011000	3000 K	110°	49,5 W
StoreLED 3x3R 50-30-110 DALI	09503011001	3000 K	110°	49,5 W
StoreLED 3x3R 50-30-110 DALI	09503011002	3000 K	110°	49,5 W
StoreLED 3x3R 50-35-110 DALI	09503511000	3500 K	110°	49,5 W
StoreLED 3x3R 50-35-110 DALI	09503511001	3500 K	110°	49,5 W
StoreLED 3x3R 50-35-110 DALI	09503511002	3500 K	110°	49,5 W
StoreLED 3x3R 50-40-110 DALI	09504011000	4000 K	110°	49,5 W
StoreLED 3x3R 50-40-110 DALI	09504011001	4000 K	110°	49,5 W
StoreLED 3x3R 50-40-110 DALI	09504011002	4000 K	110°	49,5 W
StoreLED 3x3R 50-50-110 DALI	09505011000	5000 K	110°	49,5 W
StoreLED 3x3R 50-50-110 DALI	09505011001	5000 K	110°	49,5 W
StoreLED 3x3R 50-50-110 DALI	09505011002	5000 K	110°	49,5 W
StoreLED 3x3R 69-30-110	09693011000	3000 K	110°	68,9 W
StoreLED 3x3R 69-30-110	09693011001	3000 K	110°	68,9 W
StoreLED 3x3R 69-30-110	09693011002	3000 K	110°	68,9 W
StoreLED 3x3R 69-35-110	09693511000	3500 K	110°	68,9 W
StoreLED 3x3R 69-35-110	09693511001	3500 K	110°	68,9 W
StoreLED 3x3R 69-35-110	09693511002	3500 K	110°	68,9 W
StoreLED 3x3R 69-40-110	09694011000	4000 K	110°	68,9 W
StoreLED 3x3R 69-40-110	09694011001	4000 K	110°	68,9 W
StoreLED 3x3R 69-40-110	09694011002	4000 K	110°	68,9 W
StoreLED 3x3R 69-50-110	09695011000	5000 K	110°	68,9 W
StoreLED 3x3R 69-50-110	09695011001	5000 K	110°	68,9 W
StoreLED 3x3R 69-50-110	09695011002	5000 K	110°	68,9 W
StoreLED 3x3R 70-30-110 DALI	09703011000	3000 K	110°	70,0 W
StoreLED 3x3R 70-30-110 DALI	09703011001	3000 K	110°	70,0 W
StoreLED 3x3R 70-30-110 DALI	09703011002	3000 K	110°	70,0 W
StoreLED 3x3R 70-35-110 DALI	09703511000	3500 K	110°	70,0 W
StoreLED 3x3R 70-35-110 DALI	09703511001	3500 K	110°	70,0 W
StoreLED 3x3R 70-35-110 DALI	09703511002	3500 K	110°	70,0 W
StoreLED 3x3R 70-40-110 DALI	09704011000	4000 K	110°	70,0 W
StoreLED 3x3R 70-40-110 DALI	09704011001	4000 K	110°	70,0 W
StoreLED 3x3R 70-40-110 DALI	09704011002	4000 K	110°	70,0 W
StoreLED 3x3R 70-50-110 DALI	09705011000	5000 K	110°	70,0 W
StoreLED 3x3R 70-50-110 DALI	09705011001	5000 K	110°	70,0 W
StoreLED 3x3R 70-50-110 DALI	09705011002	5000 K	110°	70,0 W

Lichtstrom System	Farbe	Abmessungen
3278 lm	schwarz	590x192x80mm
3278 lm	weiß	590x192x80mm
3278 lm	silber	590x192x80mm
3426 lm	schwarz	590x192x80mm
3426 lm	weiß	590x192x80mm
3426 lm	silber	590x192x80mm
3488 lm	schwarz	590x192x80mm
3488 lm	weiß	590x192x80mm
3488 lm	silber	590x192x80mm
3488 lm	schwarz	590x192x80mm
3488 lm	weiß	590x192x80mm
3488 lm	silber	590x192x80mm
3278 lm	schwarz	590x192x80mm
3278 lm	weiß	590x192x80mm
3278 lm	silber	590x192x80mm
3426 lm	schwarz	590x192x80mm
3426 lm	weiß	590x192x80mm
3426 lm	silber	590x192x80mm
3488 lm	schwarz	590x192x80mm
3488 lm	weiß	590x192x80mm
3488 lm	silber	590x192x80mm
3488 lm	schwarz	590x192x80mm
3488 lm	weiß	590x192x80mm
3488 lm	silber	590x192x80mm
3910 lm	schwarz	590x192x80mm
3910 lm	weiß	590x192x80mm
3910 lm	silber	590x192x80mm
4092 lm	schwarz	590x192x80mm
4092 lm	weiß	590x192x80mm
4092 lm	silber	590x192x80mm
4167 lm	schwarz	590x192x80mm
4167 lm	weiß	590x192x80mm
4167 lm	schwarz	590x192x80mm
4167 lm	weiß	590x192x80mm
4167 lm	silber	590x192x80mm
3910 lm	schwarz	590x192x80mm
3910 lm	weiß	590x192x80mm
3910 lm	silber	590x192x80mm
4092 lm	schwarz	590x192x80mm
4092 lm	weiß	590x192x80mm
4092 lm	silber	590x192x80mm
4167 lm	schwarz	590x192x80mm
4167 lm	weiß	590x192x80mm
#BEZUG!	silber	590x192x80mm
4167 lm	schwarz	590x192x80mm
4167 lm	weiß	590x192x80mm
4167 lm	silber	590x192x80mm
5586 lm	schwarz	590x192x80mm

5586 lm	weiß	590x192x80mm
5586 lm	silber	590x192x80mm
5835 lm	schwarz	590x192x80mm
5835 lm	weiß	590x192x80mm
5835 lm	silber	590x192x80mm
5942 lm	schwarz	590x192x80mm
5942 lm	weiß	590x192x80mm
5942 lm	silber	590x192x80mm
5942 lm	schwarz	590x192x80mm
5942 lm	weiß	590x192x80mm
5942 lm	silber	590x192x80mm
5586 lm	schwarz	590x192x80mm
5586 lm	weiß	590x192x80mm
5586 lm	silber	590x192x80mm
5835 lm	schwarz	590x192x80mm
5835 lm	weiß	590x192x80mm
5835 lm	silber	590x192x80mm
5942 lm	schwarz	590x192x80mm
5942 lm	weiß	590x192x80mm
5942 lm	silber	590x192x80mm
5942 lm	schwarz	590x192x80mm
5942 lm	weiß	590x192x80mm
5942 lm	silber	590x192x80mm
6341 lm	schwarz	590x192x80mm
6341 lm	weiß	590x192x80mm
6341 lm	silber	590x192x80mm
6633 lm	schwarz	590x192x80mm
6633 lm	weiß	590x192x80mm
6633 lm	silber	590x192x80mm
6755 lm	schwarz	590x192x80mm
6755 lm	weiß	590x192x80mm
6755 lm	silber	590x192x80mm
6755 lm	schwarz	590x192x80mm
6755 lm	weiß	590x192x80mm
6755 lm	silber	590x192x80mm
6341 lm	schwarz	590x192x80mm
6341 lm	weiß	590x192x80mm
6341 lm	silber	590x192x80mm
6633 lm	schwarz	590x192x80mm
6633 lm	weiß	590x192x80mm
6633 lm	silber	590x192x80mm
6755 lm	schwarz	590x192x80mm
6755 lm	weiß	590x192x80mm
6755 lm	silber	590x192x80mm
6755 lm	schwarz	590x192x80mm
6755 lm	weiß	590x192x80mm
6755 lm	silber	590x192x80mm
7838 lm	schwarz	590x192x80mm
7838 lm	weiß	590x192x80mm
7838 lm	silber	590x192x80mm

8200 lm	schwarz	590x192x80mm
8200 lm	weiß	590x192x80mm
8200 lm	silber	590x192x80mm
8351 lm	schwarz	590x192x80mm
8351 lm	weiß	590x192x80mm
8351 lm	silber	590x192x80mm
8351 lm	schwarz	590x192x80mm
8351 lm	weiß	590x192x80mm
8351 lm	silber	590x192x80mm
7838 lm	schwarz	590x192x80mm
7838 lm	weiß	590x192x80mm
7838 lm	silber	590x192x80mm
8200 lm	schwarz	590x192x80mm
8200 lm	weiß	590x192x80mm
8200 lm	silber	590x192x80mm
8351 lm	schwarz	590x192x80mm
8351 lm	weiß	590x192x80mm
8351 lm	silber	590x192x80mm
8351 lm	schwarz	590x192x80mm
8351 lm	weiß	590x192x80mm
8351 lm	silber	590x192x80mm
10787 lm	schwarz	590x192x80mm
10787 lm	weiß	590x192x80mm
10787 lm	silber	590x192x80mm
11265 lm	schwarz	590x192x80mm
11265 lm	weiß	590x192x80mm
11265 lm	silber	590x192x80mm
11471 lm	schwarz	590x192x80mm
11471 lm	weiß	590x192x80mm
11471 lm	silber	590x192x80mm
11471 lm	schwarz	590x192x80mm
11471 lm	weiß	590x192x80mm
11471 lm	silber	590x192x80mm
10787 lm	schwarz	590x192x80mm
10787 lm	weiß	590x192x80mm
10787 lm	silber	590x192x80mm
11265 lm	schwarz	590x192x80mm
11265 lm	weiß	590x192x80mm
11265 lm	silber	590x192x80mm
11471 lm	schwarz	590x192x80mm
11471 lm	weiß	590x192x80mm
11471 lm	silber	590x192x80mm
11471 lm	schwarz	590x192x80mm
11471 lm	weiß	590x192x80mm
11471 lm	silber	590x192x80mm