

Bezeichnung	Artikelnummer	Lichtfarbe	Optik	Systemleistung	Lichtstrom Syst
InduLED 39-1798 S DALI	76939400020	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400023	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400025	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400600	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400603	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400605	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400900	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400903	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939400905	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500020	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500023	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500025	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500600	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500603	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500605	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500900	5000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500903	5000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	76939500905	5000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400020	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400023	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400025	4000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400600	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400603	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400605	4000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400900	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400903	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939400905	4000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500020	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500023	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500025	5000 K	High Rack	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500600	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500603	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500605	5000 K	60°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500900	5000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500903	5000 K	110°	39,2 W	6755 lm
InduLED 39-1798 S DALI	77939500905	5000 K	110°	39,2 W	6755 lm
InduLED 49-1798 S DALI	76949400020	4000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400023	4000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400025	4000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400600	4000 K	60°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400603	4000 K	60°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400605	4000 K	60°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400900	4000 K	110°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400903	4000 K	110°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949400905	4000 K	110°	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949500020	5000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949500023	5000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949500025	5000 K	High Rack	49,5 W	8351 lm
InduLED 49-1798 S DALI	76949500600	5000 K	60°	49,5 W	8351 lm

